

OPe958 PCI Express Card

PCIe Bus Eight Port Card



- ★ Suitable for **industrial control**
- ★ Suitable for **Windows 2000/XP/2003/Vista**
- ★ Suitable for **Windows 7**
- ★ Suitable for **Linux**

OPe958 Specification :

Serial Communication Controller :

*type : Oxford 16950 compatible.

Hardware compatibility :

*PCIe bus slot.

Software compatibility :

* Windows 2000/XP/2003/Vista.

* Windows 7.

* Linux.

* Other operation system.

Dimension :

*OPe958 card: 87 * 80 mm.

*OPe958 model with standard PCIe
bracket

System I/O & IRQ mapping :

*Memory mapping assigned by PCI BIOS.

*one IRQ mapping assigned by PCI BIOS.

Port capability :

*number of port : 8 ports per card.

*Interface : RS232.

*Baud Rate: each port can be configured to
50--115200bps.

*Connector type: DB62 female connector.

*R804 cable support DB62 male to eight
DB9 male connector.

Environment :

*operating temperature : 0°C to 55°C

*operating humidity : 10% to 95% RH

*storage temperature : 0°C to 65°C

*storage humidity : 5% to 95% RH

Performance upgrade capability and relative products :

*OPe952 : PCIe card support two RS232 ports.

*OPe954 : PCIe card support four RS232 ports.

*UTS040 box: USB to four ground isolated RS232 ports.

*UTS004 box: USB to four ground isolated RS422/485 ports.

*UTS485 box: USB to two RS232 and two ground isolated RS422/485 ports.

*APORT040 box: IP to four ground isolated RS232 ports.

*APORT202 box: IP to two RS232 and two ground isolated RS422/485 ports.

***All names are the trademarks of their respective organization.



RAYON TECHNOLOGY CO., LTD.

2F, No. 177, Chung_Shan 2 Rd., Lu_Chou city, Taipei Hsien, Taiwan.

TEL: 886-2-82858362 FAX: 886-2-82857065

E-Mail: rayon@ms1.hinet.net

WEB: <http://www.computex.com.tw/rayon>

WEB: <http://www.rayontech.com>